



# ELB

## Quotation

TIEFORT VIEW INTERMEDIATE SCHOOL MPR

ELB US Inc

Suite 500, 415 Boulder Court, Pleasanton, CA 94566  
Tel: 925 400 6175 Fax:  
www.elbglobal.com sales@elbglobal.com

Quote #: BOM 310350

Date: 8 Nov 2023

Account Manager: Christina Tehrani

Phone: 925 400 6175

Fax:

PTS #: 80079

Email: C.Tehrani@elbglobal.com

Page: 1 of 7

To:

**Silver Valley Unified School District**

**Attn: Robert Saffel**

35320 Daggett-Yermo Rd

Yermo CA 92398

Phone: 760-254-1350

#	Item	Description	Unit Ex	Qty	Sub Total
1	OFE	<b>Owner Furnished Equipment</b> * Owner Furnished Equipment OFE - Presentation Laptop PC	\$1.00	1	\$1.00
2	DN-500BD-MKII	<b>DENON Blue-Ray, DVD and CD/SD/USB Player</b> * Rack Mountable, Plays Blu-Ray, DVD, CD and files from SD/USB media * Supported Blu-Ray disc formats: BD25, BD50, BD-RE, BD-ROM and BD-R, Supported DVD formats: DVD, DVD+R, DVD+RW and DVD-RW * Supported audio disc formats: CD, CD-R, CD-RW, DTS Music Disc (DTS Audio CD, 5.1 Music Disc), HDCD, Super Video CD (SVCD) and Video CD (VCD)	\$514.67	1	\$514.67
3	NP-PV710UL-W1 -13ZL	<b>NEC 7100-Lumen Installation Projector, With Lens/4k Support</b> * 4K Ready - Display stunning 4K 60P content using NEC's proprietary high performance video processing/scaling chip without the loss of critical details * HDR10 and BT.2020 signals from "Ultra HD Blu-ray" and "4K TV broadcasting" are supported on all digital inputs * Basic control of competitors product reducing the need for reprogramming of a control system * Integrated software applications such as AMX Beacon, Crestron Roomview, Extron XTP and PJ link allow for complete interactivity and control	\$4,754.47	1	\$4,754.47
4	CMA110	<b>CHIEF CMA110 8" (203 mm) Ceiling Plate</b> * 8" (203 mm) Ceiling Plate * Use this flat ceiling plate with any CMS Fixed or Adjustable Extension Column to customize your installation. * Includes set screw	\$74.89	1	\$74.89
5	RPAUW	<b>CHIEF RPA Universal/Custom Ceiling Projector Mounts, White</b> * Ships newly designed SLB universal bracket to fit most inverted projectors on the market * Independent roll, pitch and yaw for quick and precise projector image registration, Quick projector connect and disconnect with convenient lamp and filter access on most projectors * Maintains registration when disconnected and doesn't affect preset adjustments, All-Points™ Security Systems provides exclusive steel into steel locking hardware at all connection points to protect against theft * Multiple installation options: flush mount to ceiling, 0.25" threaded rod, or 1.5" NPT threaded extension column, Integrated cable management through top of mount without additional accessories	\$216.81	1	\$216.81
6	70279L	<b>DA-LITE 70272L COSMO 189" Diagonal Electrol Screen</b> * 189" Diagonal   100" x 160" * Decora-style, three-position wall switch * Tensioning Cable System to prevent warping and ensure even lateral tension * Standard black backing retains projected brightness on front projection surfaces	\$3,021.92	1	\$3,021.92

ELB US Inc



# ELB

## Quotation

TIEFORT VIEW INTERMEDIATE SCHOOL MPR

ELB US Inc

Suite 500, 415 Boulder Court, Pleasanton, CA 94566  
Tel: 925 400 6175 Fax:  
www.elbglobal.com sales@elbglobal.com

Quote #: BOM 310350

Date: 8 Nov 2023

Account Manager: Christina Tehrani

Phone: 925 400 6175

Fax:

PTS #: 80079

Email: C.Tehrani@elbglobal.com

Page: 2 of 7

#	Item	Description	Unit Ex	Qty	Sub Total
7	CMS0911W	<b>CHIEF 9-11 ft. Adjustable Extension Column-White</b> *Provides height adjustment in 1" increments *Notched design for adjustment without disassembly *Includes set screw for add stability *Consists of 1.5" NPT column, threaded on both ends	\$226.48	1	\$226.48
8	UA505-RSMA	<b>SHURE Mounting Bracket with BNC Connector</b> * For GLX-D Advanced Wireless Products * Works with UA8-Z2 & PA805Z2-RSMA Antenna * Includes Reverse SMA Bulkhead Adapters * Lockwasher and Nut, 6" Reverse SMA Cable	\$37.33	2	\$74.66
9	MS-10CE	<b>ATLAS Mic Stand</b> All-Purpose Mic Stand Ebony	\$61.33	2	\$122.66
10	SPA2-200	<b>QSC 2-Channel Power Amplifier, 200W</b> * Two channel amplifier delivers up to 200 watts rms per channel into 4 or 8 ohms; the two channels can also be bridged providing up to 400 watts rms into 4 or 8 ohms * Up to 200 watts per channel into 4 and 8 ohms - the outputs of the SPA2-200 model are designed to provide up to 200 watts per channel into Low-Z load * Bridgeable outputs for higher power - Bridging the outputs of the SPA2-200 will deliver up to 350 watts into 70V or 100V when bridged * Can be mounted in 1 RU, 1/2 rack space, and their clever joining brackets enable easy under-table and wall-mounting	\$784.08	1	\$784.08
11	AC-C6T	<b>QSC full-range, ceiling mount loudspeaker</b> •High quality 6" 2-way system provides exceptional clarity through the critical voice range. •Low-saturation 70V/100V transformers with 8-ohm bypass. •4-pole Euroblock connector for easy system wiring. •Advanced voicing filter sets using QSC Intrinsic Correction™ are available through either Q-SYS processing or CXD amplifier platforms.	\$148.23	8	\$1,185.84
12	E535.100000US	<b>SOUNDCRAFT EFX 12-Channel Mixer, Built in Lexicon</b> * Built-in 24 bit Lexicon digital effects processor with 32 FX settings, Tap Tempo and FX setting store function, 1 FX send on each channel * XLR-type and 1/4" metal jack connector sockets, RCA phono stereo playback inputs and record outputs * 3-band EQ with a swept mid on mono inputs & 3-band EQ on stereo inputs, Easily rack mountable	\$666.67	1	\$666.67
13	GLXD124R+/85-Z3	<b>SHURE Dual Band Wireless Combo Rack System SM58/WL185, Z3</b> * WL185 Cardioid Lav Mic with Bodypack, SM58 Dynamic Cardioid Mic/Transmitter * Metal Half-Rack Receiver, Auto Scans 2.4 and 5.8 GHz Frequencies * Easy Setup with Auto Pairing, 208.5 MHz Total Bandwidth, Removable Rear-Panel Antennas * Front Panel Charges 12-Hr SB904 Battery, Expandable to 11 Mic Channels/100' Range	\$933.33	2	\$1,866.66
14	CMK-025AU	<b>HOSA CMK-025AU 25' Edge Microphone XLR Cable</b> * Original Neutrik connectors for security and durability * 20 AWG oxygen-free copper for maximum signal transfer * Low capacitance for crystal-clear highs and lows * Durable and designed for stage and tactical use	\$66.15	2	\$132.30

ELB US Inc



# ELB

## Quotation

TIEFORT VIEW INTERMEDIATE SCHOOL MPR

ELB US Inc

Suite 500, 415 Boulder Court, Pleasanton, CA 94566  
Tel: 925 400 6175 Fax:  
www.elbglobal.com sales@elbglobal.com

Quote #: BOM 310350

Date: 8 Nov 2023

Account Manager: Christina Tehrani

Phone: 925 400 6175

Fax:

PTS #: 80079

Email: C.Tehrani@elbglobal.com

Page: 3 of 7

#	Item	Description	Unit Ex	Qty	Sub Total
15	GLXD+FMZ3/LC	<b>SHURE Dual-Band Wireless Frequency Manager, GLX-D+ Wireless</b> * For RF Performance of GLXD4R+ Receivers, Increases Channel Count * Distributes RF Signal and Power, Consolidates Antennas and Power Supplies * Mounts in Standard 19" Equipment Racks, Supports Remote Antenna Placement, All-Metal Construction * Includes Rack-Mounting Hardware/External Power Supply, 6 x Threaded DC Power Cables	\$497.93	1	\$497.93
16	SB904	<b>SHURE SB904 Rechargeable Battery, GLX-D+</b> * Rechargeable Li-Ion Battery * For GLXD1+ Bodypack Transmitter/GLXD2+ Handheld Transmitter * 2420mAh Nominal Capacity, Relatively Lightweight at 1.9 oz * Recharges on Receiver's Front-Panel, In-Transmitter Charging via USB-C	\$33.33	2	\$66.66
17	PA805DB-RSMA	<b>SHURE RSMA Passive Dual Band Directional Antenna</b> * Improves Wireless Range & Reception * For Use with GLXD4R+ Receivers, For Use with GLX-D+ Frequency Manager * Works in 2.4 and 5.8 GHz Ranges, Up to 8 dB of Improved Reception * Rejects Interference from Rear, Includes Mounting Assembly & Cables	\$282.33	2	\$564.66
18	UA850-RSMA	<b>SHURE 15.2 Meter Reverse SMA Cable</b> * For GLX-D Digital Wireless Systems * 50 Ohms Coaxial RF Antenna Cable * 50' Length	\$120.00	1	\$120.00
19	130	<b>ALZO 8" 3.5mm Female to Dual XLR-Male Stereo Microphone Cord</b> * Adapt all stereo microphones for pro camcorder XLR audio inputs; for use with mics from Rode, Azden, Audio-Technica, Shure, Sony, Tascam * Short cord with 3.5mm TRS stereo female jack to 2 XLR right and left male connectors * All connectors include professional strain relief * 1 XLR cord band marked for R-L stereo orientation, Cord length is 8 inches	\$21.33	1	\$21.33
20	HALO-HC01M	<b>LIBERTY 3.28' HALO Series HDMI with Ethernet, Black</b> * High Speed HDMI(TM) with Ethernet rated cables * 18.0Gbps Bandwidth to support 4K60 4:4:4 * Supports ARC, eARC and all HDCP levels	\$22.87	3	\$68.61
21	HALO-HC03M	<b>LIBERTY 9.84' HALO Series HDMI with Ethernet, Black</b> * High Speed HDMI(TM) with Ethernet rated cables * 18.0Gbps Bandwidth to support 4K60 4:4:4 * Supports ARC, eARC and all HDCP level	\$36.36	1	\$36.36
22	DL-PSMV62	<b>DIGITALLINX Multi Format Presentation Switch w/HDBT, MultiView</b> * 6x1+1 (HDMI & Mirrored HDBT Outputs) 4K Presentation Switcher w/HDBT Out, Inputs include HDMI, DP, & USB-C * USB-C supports AV via ALT-DP and charging power for connected device, Integrated scaling up to 4K, Seamless switching & auto switching * Use as a 4x1+1 in auto switching or multi-view mode (Inputs 3 and 4 offer selectable input types) or 6x1+1 when used as a standard switcher & controlled via API * HDCP 2.2 compliant, HDBT output 40m for 4K and 70m for 1080p	\$1,414.47	1	\$1,414.47
23	E94566-WQ664898	<b>PANELCRAFTERS E94566-WQ664898 Black 2RU Rack Panel, XLR/3.5/HDMI</b>	\$155.44	1	\$155.44

ELB US Inc



# ELB

## Quotation

TIEFORT VIEW INTERMEDIATE SCHOOL MPR

ELB US Inc

Suite 500, 415 Boulder Court, Pleasanton, CA 94566  
Tel: 925 400 6175 Fax:  
www.elbglobal.com sales@elbglobal.com

Quote #: BOM 310350

Date: 8 Nov 2023

Account Manager: Christina Tehrani

Phone: 925 400 6175

Fax:

PTS #: 80079

Email: C.Tehrani@elbglobal.com

Page: 4 of 7

#	Item	Description	Unit Ex	Qty	Sub Total
		<ul style="list-style-type: none"> <li>* Custom Classic Black 2RU Rack Panel, 0.125 inch 6061T6 Aluminum</li> <li>* Connections: 1x P9 - 3.5MM STEREO-MINI FEEDTHRU (30-295) ISOLATED, 2x V57 - HDMI F-F W/ 6IN Pigtail</li> <li>* Connections: 1x X1-N - 3 PIN FEMALE XLR BLACK (GOLD) (NC3FDL-1-B) (SOLDER), 1x X4-N - 3 PIN MALE XLR BLACK (GOLD) (NC3MDL-1-B) (SOLDER)</li> </ul>			
24	HALO-HC02M	<b>LIBERTY 6.56' HALO Series HDMI with Ethernet, Black</b> <ul style="list-style-type: none"> <li>* High Speed HDMI(TM) with Ethernet rated cables</li> <li>* 18.0Gbps Bandwidth to support 4K60 4:4:4</li> <li>* Supports ARC, eARC and all HDCP levels</li> </ul>	\$26.53	1	\$26.53
25	DL-1H1A-WPKT-W	<b>DIGITALINX HDMI HDBaseT Wall Plate Extension Set</b> <ul style="list-style-type: none"> <li>* Complete set includes Wall plate TX, RX, Power supply, cover plate</li> <li>* Extend HDMI up to 4K &amp; Analog Audio signals up to 70 meters</li> <li>* Extends RS232 &amp; 1 way PoC from RX to wall plate TX</li> <li>* Dedicated 3.5mm audio independent from the HDMI signal</li> <li>* Remote power from receiver to wall plate transmitter</li> </ul>	\$334.61	1	\$334.61
26	PD-915R-PL	<b>Middle Atlantic RACKMOUNT POWER, 9 OUTLET, 15A, BASIC SURGE</b> <ul style="list-style-type: none"> <li>* Rear distribution outlets with one front convenience outlet, Includes surge and spike protection, as well as EMI filtering</li> <li>* Occupies one rackspace, 9 foot cord, with front status pilot light</li> </ul>	\$165.60	1	\$165.60
27	EB2	<b>MIDDLE ATLANTIC Blank Panel, 2 RU, Steel, Flanged</b> <ul style="list-style-type: none"> <li>* Flanged steel construction</li> <li>* Black powder coat finish</li> </ul>	\$18.91	2	\$37.82
28	LBP-1A	<b>MIDDLE ATLANTIC LBP-1A L-Shaped Lace Bar, 10/Pack</b> <ul style="list-style-type: none"> <li>* Economical horizontal cable lacing and support</li> <li>* Straight "L" bar style</li> <li>* All lacer bars sold in packs of 10 pieces</li> </ul>	\$56.71	1	\$56.71
29	24-4P-P-L6ASH-WHT-ft	<b>LIBERTY CAT6A F/UTP EN Series 23 AWG 4 Pair Shielded Cable, 1ft</b> <ul style="list-style-type: none"> <li>* 23 AWG solid bare copper conductors, FEP, fluorinated ethylene propylene (Teflon(TM)) - Plenum Rated</li> <li>* Varying lay twisted pairs cabled on a common axis, 100% foil shield with foil and drain facing in</li> </ul>	\$1.12	125	\$140.00
30	22-2C-SH-GRY-ft	<b>LIBERTY Audio &amp; Control 22AWG 1 Pair Shielded Reel per/ft</b> <ul style="list-style-type: none"> <li>* 7 strand annealed bare copper conductors</li> <li>* Semi-Rigid PVC insulation</li> <li>* Twisted, shielded</li> <li>* Riser rated PVC jacket</li> </ul>	\$0.20	200	\$40.00
31	UTR1	<b>MIDDLE ATLANTIC 1U Rackshelf for Mounting Half</b> <ul style="list-style-type: none"> <li>* Holds small components, wireless units and similar gear</li> <li>* Includes two 2" x 10" hook and loop strips for component mounting</li> <li>* Vented for cooling air circulation</li> </ul>	\$53.11	2	\$106.22

ELB US Inc



# ELB

## Quotation

TIEFORT VIEW INTERMEDIATE SCHOOL MPR

ELB US Inc

Suite 500, 415 Boulder Court, Pleasanton, CA 94566  
Tel: 925 400 6175 Fax:  
www.elbglobal.com sales@elbglobal.com

Quote #: BOM 310350

Date: 8 Nov 2023

Account Manager: Christina Tehrani

Phone: 925 400 6175

Fax:

PTS #: 80079

Email: C.Tehrani@elbglobal.com

Page: 5 of 7

#	Item	Description	Unit Ex	Qty	Sub Total
32	18-2C-GRY	<b>LIBERTY 18 AWG 2 conductor cable 1000FT/spl</b> * 7-strand annealed bare copper conductors * Semi-Rigid PVC insulation * Twisted, unshielded * Flame rated PVC jacket	\$236.41	1	\$236.41
33	EB1	<b>MIDDLE ATLANTIC 1 SPACE RACK BLANK</b> * Flanged steel construction * Black powder coat finish * 1 Space Steel Blank Panel, Flanged	\$13.96	1	\$13.96
34	RJ45-STP-L6A	<b>LIBERTY CAT6A F/UTP RJ45 Install Kit Package (25 jacks)</b> * 25 each Category 6A F/UTP RJ45 Connectors with, 5 extra load bars * 25 precut pieces of copper tape and shrink tube * Fits cables up to .300" in diameter, Use Standard RJ45 Crimp Tools	\$145.68	1	\$145.68
35	NC3MXX-BAG	<b>NEUTRIK NC3MXX-BAG 3 Pin Male XLR Cable Mount, Black Body</b> * Male connector with improved locking recess without "window", more stringent housing increases durability * Improved chuck type strain relief provides higher pull-out force and makes assembly easier and faster	\$5.89	12	\$70.68
36	NC3FXX-BAG	<b>NEUTRIK NC3FXX-BAG 3 Pin Female XLR Cable Mount, Black Body</b> * Unique cage design of female contact for low contact resistance and high integrity, improved solid metal latch which is larger and easier to handle * Improved chuck type strain relief provides higher pull-out force and makes assembly easier and faster	\$5.93	4	\$23.72
37	Z100AM6FT	<b>LIBERTY 6' Z100 3.5mm TRS Stereo Audio Cable</b> * 3.5MM Stereo Plug (male) to 3.5mm Stereo Plug (male) * All Gold Plated Contact Surfaces, Green Molded Connector body * Twisted pair construction with full braided copper shield	\$7.28	1	\$7.28
38	PRJ-CLG-DCK-CONS	<b>Projector Attachment Hardware Kit</b> * Installation consumables required for projector mounting	\$46.80	1	\$46.80
39	P2785EG	<b>UNISTRUT P2785 Beam Clamp, Electro-Galvanized</b> * Unistrut P2785 EG Beam Clamp * Beams up to 3/4" Flanges and with Channels P1000, P1100, P2000, P3000, P3300, P3301, P4000, P4001, P4100, and P4101	\$9.00	4	\$36.00
40	242413	<b>ARLINGTON LV1 Mounting Bracket 1-Gang/Low Voltage/Non-Metallic</b> * Non-metallic, Bracket is its own template for cut out * Mounting wings hold bracket securely against wall when screws are tightened	\$1.95	1	\$1.95
41	D3	<b>MIDDLE ATLANTIC 3RU Drawer, Black Brushed/Anodized</b> * Inside measuring 15-7/8" wide by 14-1/2" deep * Spring-loaded latches and rugged, straight-forward construction, Fully enclosed top, Black anodized finish * Rugged steel construction with spring-loaded latch * Includes drawer mat and rear cable grommet	\$212.52	1	\$212.52
42	PSG-MISEQU	<b>Miscellaneous Charges</b> * Miscellaneous Charges	\$112.94	2	\$225.88

ELB US Inc



# ELB

ELB US Inc

Suite 500, 415 Boulder Court, Pleasanton, CA 94566  
Tel: 925 400 6175 Fax:  
www.elbglobal.com sales@elbglobal.com

## Quotation

TIEFORT VIEW INTERMEDIATE SCHOOL MPR

Quote #: BOM 310350

Date: 8 Nov 2023

Account Manager: Christina Tehrani

Phone: 925 400 6175

Fax:

PTS #: 80079

Email: C.Tehrani@elbglobal.com

Page: 6 of 7

#	Item	Description	Unit Ex	Qty	Sub Total
43	PSG-RENTAL	<b>Equipment Rental Cost</b> Equipment Rental Cost	\$1,051.85	1	\$1,051.85
44	PSG-ADMIN	<b>FREIGHT</b> * Estimated Freight Costs	\$1,113.33	1	\$1,113.33
45	TRAVEL	<b>ELB Travel Costs</b> * ELB Travel Costs	\$1,191.36	1	\$1,191.36
46	PSG-PERF	<b>Performance Bond</b> * Performance Bond required for completion of work	\$1,050.00	1	\$1,050.00
47	PSG-SYSDES	<b>Design</b> * System Design	\$120.00	12	\$1,440.00
48	PSG-INSTAL	<b>Equipment Installation</b> * Performed in normal business hours * Hourly rate per laborer	\$110.00	12	\$1,320.00
49	PSG-INSTALPW	<b>Installation - Prevailing Wage</b> * Performed in normal business hours * Prevailing wage hourly rate per laborer	\$130.00	49	\$6,370.00
50	PSG-TESCOM	<b>Field Engineering</b> * Performed in normal business hours * Hourly rate per laborer	\$110.00	2	\$220.00
51	PSG-ACCEPT	<b>Acceptance Testing / Client Handover</b> * System acceptance testing with client * System handover and sign-off by client * Performed in normal business hours	\$110.00	2	\$220.00
52	PSG-ASBDWG	<b>Documentation and CAD</b> * System Documentation and CAD Drawings	\$90.00	6	\$540.00
53	PSG-COOADM	<b>Project Coordination and Administration</b> * Project Coordination and Administration	\$127.46	2	\$254.92
54	PSG-PROJMGT	<b>Project Management</b> * Project Management professional services	\$110.00	12	\$1,320.00

Subtotal ex TAX \$34,608.40

TAX \$1,417.56

**Total inc TAX \$36,025.96**

ELB US Inc



# ELB

## Quotation

TIEFORT VIEW INTERMEDIATE SCHOOL MPR

ELB US Inc

Suite 500, 415 Boulder Court, Pleasanton, CA 94566  
Tel: 925 400 6175 Fax:  
www.elbglobal.com sales@elbglobal.com

Quote #: BOM 310350

Date: 8 Nov 2023

Account Manager: Christina Tehrani

Phone: 925 400 6175

Fax:

PTS #: 80079

Email: C.Tehrani@elbglobal.com

Page: 7 of 7

### TERMS AND CONDITIONS

Terms and Conditions under which ELB (US) Inc ("ELECTROBOARD") sells the products and provides the services set out in this quote ("Products") to its customers ("Customer").

- Application of Terms and Conditions: The terms and conditions of this quote shall apply to the sale and purchase of the listed Products in this quote, except where either (1) modified herein by ELB; or (2) where ELB and the Customer are parties to a current written agreement which governs the sale and purchase, the provisions of the said Agreement shall prevail.
- Quote: This quote shall not be binding on ELB until accepted in writing by the Customer and returned to ELB. This quote is firm for 15 days unless modified in writing by ELB. Maintenance prices are subject to a separate maintenance agreement available on request. The Customer acknowledges that where any of the Products listed in this quote are unavailable 15 days from the date of acceptance of the quote by the Customer, and the price of any Product quoted changes in that period, ELB reserves the right to issue a fresh quote to the Customer for those Products listing the new prices.
- Exchange Rate: In the event that the prevailing exchange rate between the currency of the country of origin and the currency quoted has fluctuated from the time the quote is rendered to the time of payment is received from the Customer, ELB reserves the right in its sole discretion to adjust any prices quoted herein and the Customer agrees to meet the revised price. For the purpose of this quote as an agreement, the prevailing exchange rate at the time of the quote shall be the rate specified, (at the time payment is received) to be that issued by the Commonwealth Bank of Australia for a spot transaction on that day.
- Payment: All Products shall be paid for by the Customer (including all government duties and taxes applicable) prior to delivery. Alternatively if ELB and the Customer have prior to delivery of the Products agreed on and maintain a credit arrangement, payment will be in accordance with the terms and conditions of the credit arrangement.
- Ownership of Products: The ownership of all Products shall remain with ELB and shall only pass to the Customer upon the payment by the Customer of the invoiced price in full. Prior to payment of the invoiced price in full, the Customer shall hold the Products as Bailee for ELB. In the event of the Products whether in the same or a modified form being disposed of prior to the payment of the invoiced price in full, any amount received by the Customer shall be held in trust by the Customer for ELB. All prices quoted are in US dollars, unless otherwise specified.
- Delivery of Products: Delivery of Products shall take place at the time of the physical taking of the Products by the Customer or by the carrier whether engaged by ELB or the customer or 10 days after ELB notifies the Customer that the Products are ready for delivery, whichever first occurs. Where the Customer arranges its own carrier, it shall be responsible for all freight, insurance and other costs associated with the carriage. Where ELB arrange carriage, all freight and insurance and other costs shall be to the account of the Customer.
- Cancellation and Rescheduling of Orders: (1) Cancellation: Where any order is cancelled by the Customer on or less than seven (7) days prior to the scheduled shipment date, the Customer will still be charged the entire invoice cost of the quote as a cancellation fee. (2) Rescheduling: Orders may only be re-scheduled up to thirty (30) days from the scheduled shipment date. Any rescheduling occurring in less than thirty days prior to the scheduled shipment date will be subject to a rescheduling charge equal to 40% of the gross order value.
- Authorized Returns: Customer shall not return any ELB Product for credit, exchange or otherwise without the prior written consent of ELB evidenced by ELB authorizing and issuing to the Customer an ELB Return Authorization.
- Restocking Fee and Return of Products: Where a Customer returns a Product (not due to a defect) to ELB under the ELB Return Authorization then a restocking fee will be charged. The restocking fee is based on the value of the Product returned. Where the Product returned was charged to the Customer (1) for less than \$1,000 (excluding Tax) the fee is \$80.00 plus Tax plus the cost of any freight charges incurred by ELB; or (2) for more than \$1,000 (excluding Tax) the fee will be 15% of the value charged plus Tax plus the cost of any freight charges incurred by ELB. Any Products returned to ELB will only be accepted if the Product is in its original condition as originally shipped and returned as packed in its original packaging, including all accessories, cables and manuals. Where ELB determines, acting reasonably, that any Product returned requires rectification or repair or is not as originally shipped or as originally packaged, ELB is entitled to charge the Customer the cost of and any fee incurred to return that Product to its original condition. ELB also reserves the right at its discretion to charge the Customer for all courier charges or a pick up charge as incurred by ELB to collect the Product from the Customer if the Product is not returned by the Customer by freight.
- No Warranty: ELB does not manufacture any Product and accordingly does not warrant that any Product is free of any defect, is fit for the purpose required by the Customer or is of merchantable quality. The Customer must make and rely on their own enquiries and rely at their own expense on the warranty and warranty periods as may be provided by the manufacturer of any particular Product in this quote.
- Services: Where this quote includes details of time charges, services required to be undertaken and/or installation of Products required at the Customer site, to be undertaken by ELB in addition to the Products to be purchased (Services) the following conditions apply: (1) Acceptance by the Customer of this quote which includes the Services means acceptance by the Customer of the following conditions in sub-paragraphs (2) to (6) namely: (2) An ELB Scope of Works (SOW) agreed and signed by the Customer prior to the commencement of the Services; (3) Acceptance of this quote by the Customer does not affect or amend the terms and conditions of the SOW; (4) All work required to be undertaken under the Services, including the payment terms, will be governed by the terms and conditions of the SOW; (5) Any variation of the SOW does not affect the terms and conditions of this quote; and (6) Where any variation to the Services is required by the Customer a separate quote and an amendment of the SOW will be provided by ELB for that variation.
- Limitation of Liability: In no event shall ELB be liable to the Customer for incidental or consequential damages (including loss of profits) of any nature arising out of or related to the supply, design, manufacture, installation or service or the performance or use of any Products or alternatively in the event that ELB are found liable for a breach of warranty or condition implied by law and not capable of exclusion by agreement. Where ELB is found liable that liability shall be limited to the minimum level possible under the law.
- Severability: If any of the terms and conditions hereof shall to any extent be invalid or unenforceable, the remainder of these the Terms and conditions, or the application of such the terms and provisions to persons or circumstances other than those as to which it is held unenforceable shall not be affected thereby.
- Applicable Law: The validity, interpretation and performance of this quote as an agreement between ELB and the Customer shall be governed by the laws of the State of California.

ELB US Inc